

श्रसाधारण

EXTRAORDINARY

भाग **िन्छ**ण्ड [

PART I-Section I

प्राधिकार से प्रकाशित

PUBLISHED BY AUTHORITY

सं **6**] **मई विल्ली, मंगलवार, जनधरी 9, 1968/पीध 19, 1889**

No. 6] NEW DELHI, TUESDAY, JANUARY 9, 1968/PAUSA 19, 1889

इस भाग में भिन्न पुष्ठ संख्या दी जाती है जिससे कि यह ग्रस्तग संकलन के रूप में रखा जा सके।

Separate paging is given to this Part in order that it may be filed as a separate compilation.

MINISTRY OF COMMERCE

PUBLIC NOTICE

IMPORT TRADE CONTROL

New Delhi, the 9th January 1968

Stib.:--Import Policy for Registered Exporters for the year April 1967-March 1968.

No. 5—ITC(PN)/68.—Attention is invited to the Import Policy for Registered Exporters contained in Part 'B' of Section III of the Import Frade Control Policy Book (Red Book) for the vear April 1967-March 1968 issued under the Ministry of Commerce Public Notice No. 32 IFC(PN)/67 dated May, 1, 1967, as amended from time to time.

Page No of the Red Book	Refe	rence	Amendments	
I		2	3	
ENGINEE	RING GOODS.			
190.	S. No. 3	The existing remark "The against export of we	he following items are allowed importator coolers (Domestic)" may be sub-	
	Col 4 stituted by	sututed by the follo	y the following —	
		"The following items water coolers (Do	ae allowed import against export of omestic as well as Commercial)".	
191.	S. No 3	The following may be a		
	Col. 4.	(k) Valves-Expansion. reversible.	refrigeration angle,-solenoid and	
	•	(1) Component parts of	of hermetically sealed compressers.	
		(m) Leatheroid paper.		
		(n) Bypass Tee (Bundy (o) Bundy tubing.	у)	
		(p) Magnetic Door Ga	sket Assembly	
		(q) Valve plate gasket,		
		(r) Magnetic strips, M	-	
		(s) High impact polyaty	yrene powder.	
		(t) Prime G.P. Sheet	s.	
		(u) Flapper valve stee		
		(v) Carburizing grade		
		(w) Flare & sweat fitt: (x) Glassmetic termina	-	
		(y) Molecular sleeve		
		(z) Melinex Film.		
		(aa) Al. tube welded w	ith tube set both ends.	
		(ab) Silfer, special sold	lers & fluxes.	
192.	S. No. 14 (1)	The following may be	inserted '	
	Col. 4.	(a) Semifinished maste	er cylinder.	
		(b) Semiflushed wheel	l cylinder.	
		(c) Brake hose.		
192.	S. No. 14 (v)	The following may be	inserted :	
	Col. 4.	(a) Components of ta	iximeters.	
		(b) Core wire for speed	dometer cable.	
192-193.	S. No. 14 (1x)	The following may be	inserted :	
,	Col. 4.	(a) Head light glass.	l .	
	•	(b) Electroplating Sal		
		(c) Lacquer.	-	
		(d) Special Al. for vac		

I	2	3
192 · 193.	S. No. 14 (xIII) (a) to	The following may be inserted :
	(c)	(a) Duaflex steel strips. (b) Nickel, silicon (for alloying).
	Cols. 4 & 5.	(c) Grinding paste. (c) (upto 10% of the fac value of the licence).
192-193	S. No. 14 (x11i) (d)	The following may be inserted :-
	Col. 4.	(a) Forging quality steel Billets.
192-193.	S. No. 74 (MIII) (f & g)	The following may be inserted:— (a) Valve steel bars.
	Col. 4.	(b) Spring steel wire.
192-193.	S. No. 14 (xm) (h)	The following may be inserted:
	Col. 4.	(a) Copper, Zinc in Virgin form.(b) Fluxes-antioxidants.
192-193.	S. No. 14 (xiii) (j)	The following may be inserted:
	Col. 4.	(a) Copper and brass tubes.
192-193.	S. No. 14 (xiii) (k)	The following may be inserted :
	Col. 4.	(a) Bruss jets.
192-193.	S. No. 14 (xin) (m to o) The following may be inserted:—
	Col. 4.	(a) Filter paper.
192-193.	S. No. 14 (xiii) (p)	The following may be inserted:-
	Col. 4.	(a) Copper.(b) Asbestos.
192-193.	S. No. 14 (xiii) (r)	The following may be inserted:—
	Col. 4.	(a) Forging qualities steel billets/sections.
192-193.	S. No. 14 (xiv) (b)	The following may be inserted:—
	Col. 4.	(a) Asbestos Millhoard.
192-194.	S. No. 14 (xiv) (g)	The following may be inserted:
	Col. 4.	(a) Needle bearing.
192-194.	S. No. 14 (xiv) (k)	The following may be inserted:

I	2	3	
192-194.	S. No. 14 (xv) (c)	The following may be inserted :	
	Col. 4.	(a) ERW tubes.(b) Heat Treating salts.	
192-194.	S. No. 14 (xv) (l)	The following may be inserted:	
	Col. 4	(a) King pin bush.(b) King pin bearing/shims.	
192-194.	S. No. 14 (xvi) (a & b) The following may be inserted:—		
	Col. 4.	(a) Contact points.	
		(b) Bendix drive.	
		(c) Starter pinnion.	
		(d) Copper wire brass.	
		(e) Ball bearings (Permissible type).	
		(f) Insulating material.	
192-194.	S. No. 14 (xv1) (c)	The following may be inserted:	
	Col. 4.	(a) Special electrode for Central wire.(b) Calcined alumina.	
192-195.	S. No. 14 (xvi) (l)	The following may be inserted:	
	Col. 4.	. (a) Horn points. (b) Euteka/Nichrome wire. (c) Diaphragms.	
192-195.	S. No. 14 (xv1) (0, p, r.s)	The following may be inserted:—	
	Col. 4.	 (a) Contact points. (b) Bendix drive. (c) Starter Pinnion. (d)Copper wire biass. (e) Ball bearings (Permissible type). (f) Insulating material. 	
192-195.	S. No. 14 (xvii) (e)	The following may be inserted :	
	Col. 4.	(a) Components of dash board instruments.	
192-196.	S. No. 14 (xvii) (g)	The following may be inserted:—	
	Col. 4.	(a) Wites or inned cables.	
107-198.	S. No. 19 (k)	The following may be inserted after (b):—	
	Cols. 4 & 5.	4 5	
		(c) Tin ingot (d) Lead ingot. (e) Bronze powder. (f) B.P. Sheets. upto 20% of the face value of licence. upto 5% of the face value of licence.	

ĭ	2	3
206.	S. No. 58(1) to (v)	The following may be inserted:— (a) Condensers.
	Col. 4.	(b) pre-phan papei
		(c) Condenser paper
		(d) E.C. Copper wire bars/wire tods/wires.
207.	S. No. 60	The following may be inserted after (v):
	Col. 4.	(w) Circlips.
		(x) Multi layer special insulating material consisting of polyester film and presphan.
		(y) Copper alloy commutator segments
		(z) Fibre backed or bare mica combination polyester film insulating material.
		(aa) Grease nipples.
		(ab) Oil Seals.
		(ac) Cylinders and moulded angle rings (Elephantide or phenolic resin bonded).
		(ad) Insulated craft or Manila paper.
		(ae) Gusket Materials in the form of sheets
		(at) Neo k-Tex of Neo-lengthe moulded packing washers.
		(ag) Insulating Screws.
		(ah) Aerolite
		(ai) Hardner GBMX.
		(aj) Pyrooler liquidor other synthetic insulating fluid.
		(ak) Cone rotors
		(al) Thermo couples.
		(am) E.C. Grade At Wore Bars or toda.
		(an) Phosphor bronze rods.
		(ao) Eureka/Kanthal resistance wires.
		(ap) Copper alloy commutator segments. (aq) Bare electrolytic copper strips.
		(ar) Electrolytic copper extruded shapes.
		(as) Bakelite sheets.
		(at) Phosphor bronze strips.
		(an) Vugin tin metal.
208.	S. No. 61 Col. 4	The following may be inserted after (u):— (x) Multilaver special insulating material, consisting of polyester film & presphan.
	·	(y) Dipotherm sleevings—Rayon braided fine synthetic resin varioshed.
		(x) Phenoeic paper laminate.
		(zt) Varnished glass cloth and tape.
		(z2) Varmshed glass sleeving.
		(z3) Laminated fibre glass sheets.
		(z4) Cylinders and moulded angle rings (Elephantide or phenoeic resin bonded).
		(25) Eureka/Kanthal resistance wire.
		(z6) Electrolytic copper extruded shapes.
		(27) Bakelite sheets.

I	2	3	
		(z8) CRCA Sheets. (z9) Laminations. (z10) Phosphor Bronze Strips. (z11) Asbestos Sheets.	
216.	S. No. 111(vii)	The following may be inserted :	
	Col. 4 & 5	 (a) Copper ingots/copper scrap. (b) zinc. (c) Brass scrap. (d) Tin. Tin will be allowed only upto 20% of the face value of the licence. 	
		If the export products indicated in Col. 2 against S. No. 111 (vii) are electroplated, the following additional items may also be allowed import upto the face value restrictions, if any, indicated against each:— (a) Primary nickel. (b) Nickel anodes, Upto 50% of the face value lead anodes, cadmium of the licence.	
		anodes. (c) Electroplating salts and brightness. (d) Pet bobs. Upto 20% of the face value of the licence. Upto 10% of the face value	
		of the licence.	
219.	S. No. 126 Col. 4.	Entry (d) under 2 may be amended to read as under:— "(d) Nickel anodes, lead anodes and cadmium anodes".	
219 220.	S. No. 128 Cols . 4 & 5.	The following may be inserted after (h):— (i) Transistors, diodes, [Item (i) to (21x) to be allowed Thermistors, all sorts. with an all overall ceiling of Rs. 1,000/- only for (k) Vibrators. each quarterly application. (l) Valve holders and accessories. (m) Condensors all sorts, including electrolytic and gang. (n) Connecting wires. (o) Volume controls/tune controls, all sorts. (p) Resistors, all sorts. (q) Magnets. (r) Mu. Metal & high permeability laminations. (s) Electrical insulating material. (t) Mylar and Celluloid Sheets. (u) Cables. (v) Connecting strips. (w) Paints & Varnish. (x) Nichrome wire. (y) Krobs. (x) Aluminium and enamelled winding wire. (xi) Switches. (xii) Recording tapes for performance testing. (xiii) Stereo records for performance testing.	

I

2

3

- (210) Duralumin foil
- (27) Aluminium foil
- (zvi) Adhesives
- (xvii) Component parts of television receivers
- (27 111) L T. Transformers
- (zix) Transformers.
- (zx) Tape recorder parts
 (zxi) Recording tapes and
 hardware for tape-recor-
- (xvii) Microphone for taperecorders.

Items (xx) to (xxn) allowed only to registered exporters manufacturers of public Address Equipment who are also registered as exporters manufacturers of tape-recorders with the further condition that import of item (xx) will be restricted to 50% of the face value of the import replenishment licence and each of the items (7x1) and (xxn) will be restricted to 10% of the face value of the import replenishment licence.

(2xm) Component parts of record-changers, players and pick-ups. To be allowed to registered exporters—manufacturers of ampligrams only with

To be allowed to registered exporters—manufacturers of ampligrams only with the further condition that the import will be allowed upto 50% of the face value of the import replemshment licence

(zxiv) Complete record chan- To be allowed against actual gers, players and pick-ups. exports only of ampli-

exports only of ampligrams with the further condition that the import will be within 50% of the face value of import replenishment licence.

220. S. No 131

Cols. 4 &5.

The following may be inserted after 5 -

(6) Component parts of record changers players and pick-ups.

To be allowed to registered exporters—manufacturers of Radiograms only with the further condition that the import will be allowed upto 50% of the tace value of the heence

(7) Complete record changers, players and pick-ups To be allowed against actual exports only of Radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licence.

I	2	3	
220.	S. No. 132. Cols. 4 & 5.	The following may be inserted (11) Component parts of record changers, players and pick-ups.	
		(12) Complete record changers, players and pick-ups.	To be allowed against actual exports only of radiograms with the further condition that the import will be within 50% of the face value of the import replenishment licence.
221.	S. No. 135 Col. 4.	The following may be inserted (f) Teflon. (g) Fluon. (h) Vydax. (i) Phosphating compound. (j) Polishing compound.	after (e) :
	S. No. 148 Col. 4	The following may be inserted a (b) En series steel bars/rods. The following may be inserted	·
223-224.	S. No. 152(vii) Cols. 4&5.	(a) High carbon spring steel strips/wires. (b) Rolled Nickel anodes: (c) Primary nickel.	Upto 50% of the face value of the licence.

P. D. KASBEKAR, Chief Controller of Imports and Exports.